

Derby

- Metallic style
- Suitable for internal wall applications
- Four variable 3D geometries in each of the colours



GRESTEC.CO.UK / 0345 130 2241



MATT



ANH43161
LRV: 74




ANH43167
LRV: 47




ANH43162
LRV: 10



ANH43163
LRV: 4



ANH43169
LRV: 8



ANH43168
LRV: 45

GLOSS/METALLIC



ANH43164
LRV: 48




ANH43165
LRV: 47




ANH43166
LRV: 66

1



FOUR VARIABLE OF GEOMETRIES RANDOMLY MOUNTED ON MESH



	SIZES (MM)	THICKNESS	FINISHES
1	50x100 on 300x370	7.2MM	MATT GLOSS

LRV VALUES CAN VARY BATCH TO BATCH, PLEASE CONTACT FOR SPECIFIC ADVICE. SWATCH COLOURS MAY VARY, SAMPLES SHOULD BE REQUESTED.

FIND US ON:



TECHNICAL SPECIFICATION

TECHNICAL CHARACTERISTIC	STANDARD	AVERAGE VALUES	
Sizes	ISO 10545-2	Thickness	+/- 4%
		Surface Qualities	<95%
		Straightness of edges	+/- 0.4%
		Squareness	+/- 0.4%
		Flatness	+/- 0.4%
Water absorption	ISO 10545-3	<1%	
Breaking Load	ISO 10545-4	>1800N	
Breaking strength	ISO 10545-4	>50N/mm ²	
Impact resistance	ISO 10545-5	>0.6	
Coefficient of linear expansion	ISO 10545-8	<5.10 ⁻⁶ /°C	
Resistance to thermal shock	ISO 10545-9	Guaranteed	
Moisture expansion	ISO 10545-10	<0.04%	
Crazing resistance	ISO 10545-11	Guaranteed	
Frost resistance	ISO 10545-12	Guaranteed	
Chemical resistance	ISO 10545-13	GB min	
Stain resistance	ISO 10545-14	Class 3	

CLEANING + MAINTENANCE ADVICE**INITIAL WASHING**

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Equipment	Cloth
Procedure	• Clean off cement stains from grouting and other building work, which once hardened, will not be removed during any normal cleaning procedure. • Clean wall tiling with a dry cloth when joints are hard.

ROUTINE MAINTENANCE

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product	Filacleaner (Diluted 1:50 in warm water)
Equipment	Cloth
Procedure	• Remove dust with a dry cloth • Wash with FilaCleaner using a cloth that should be soaked often in the solution and wrung out well

FIND US ON:

