

Material: **Ceramic** | Appearance: **Uniform** | Application: **Walls**



Striation Plain

Play with light and shadow with these three-dimensional Striation ceramic wall tiles. Striation Plain is available in nine vibrant colours in a 75x300mm flat format and two three-dimensional formats, to add effortless dimension and character to interior designs. Available in matt and gloss, Striation Plain is suitable for internal wall applications.



Shade variation: V1 uniform




Matt

OOAA41871T1 LRV: 80	OOAA41871T2	OOAA41871T3	OOAA41872T1 LRV: 25	OOAA41872T2	OOAA41872T3
OOAA41873T1 LRV: 8	OOAA41873T2	OOAA41873T3	OOAA41874T1 LRV: 23	OOAA41874T2	OOAA41874T3
OOAA41875T1 LRV: 31	OOAA41875T2	OOAA41875T3	OOAA41876T1 LRV: 57	OOAA41876T2	OOAA41876T3
OOAA41877T1 LRV: 12	OOAA41877T2	OOAA41877T3	OOAA41878T1 LRV: 12	OOAA41878T2	OOAA41878T3

Gloss

OOAA41879T1 LRV: 85	OOAA41879T2	OOAA41879T3

	Sizes (mm)	> <	Finishes	
1	75x300 T1	8mm	Matt	Gloss
2	75x300 T2	8-15.5mm	Matt	Gloss
3	75x300 T3	8-15.5mm	Matt	Gloss
4	8x300 EDGE	8mm	Matt	Gloss
5	8x8 EDGE CORNER	8mm	Matt	Gloss



Striation Plain OOAA41878T2



LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Ceramic** | Appearance: **Uniform** | Application: **Walls**



Striation Plain



Above
Striation Plain OOAA41874T2

Right
Striation Plain OOAA41873T1
OOAA41873T2 OOAA41873T3



Above
Striation Plain OOAA41871T1

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Striation Plain

Technical data sheet - ISO 10545 average values

2	Sizes	(W 74 mm +/- 0,75 mm x 300 mm +/- 0,5 %) GL
3	Water absorption	10%
4	Modulus of rupture and breaking strength	Minimum 15 N/mm2 Individual Minimum 12 N/mm2
11	Glaze crazing resistance	Pass
13	Chemical resistance	GHA
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.