


Material: **Porcelain** | Appearance: **Clay** | Application: **Walls and Floors**



# Hars One

Hars-One features surfaces enriched with clay effects, available in natural R10, anti-slip R11/C and a decorative tactile option. Hars-One is a contemporary collection ideal for architectural use, suitable for internal/external walls/floors.



PEAD42386



PEAD42390  
LRV: 53



PEAD42392



PEAD42393


Patterns 600×1200 + 300×600mm only



PEAD42386T1



PEAD42390T1



PEAD42392T1



PEAD42393T1



Hars One PEAD42393 - Hars Two PEA48717 PEA48709 PEA48712 PEA48720

LRV and PTV values may vary between batches; please contact us for guidance.  
Swatch colours may differ from final production—samples are recommended.  
[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)  
Find us on:






# Hars One



Hars One PEAD42386 PEAD42387

## Formats

|            |                           |     |             | PEAD42386                                                                           | PEAD42390                                                                           | PEAD42392                                                                           | PEAD42393                                                                           | PEAD42386T1                                                                         | PEAD42390T1                                                                         | PEAD42392T1                                                                         | PEAD42393T1                                                                         |
|------------|---------------------------|-----|-------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Sizes (mm) |                           |     | >  <        | Finishes                                                                            |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 1          | 600×1200                  | 9.5 | Natural R10 |  |  |  |  |  |  |  |  |
| 2          | 800×800                   | 9.5 | Natural R10 |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 3          | 400×800                   | 9.5 | Natural R10 |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 4          | 600×600                   | 9.5 | Natural R10 |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 5          | 300×600                   | 9.5 | Natural R10 |  |  |  |  |  |  |  |  |
| 6          | 28×28 MOS on 300×300 MESH | 9.5 | Natural R10 |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 7          | ST 330×1200               | 9.5 | Natural R10 |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 8          | STN 330×1200              | 9.5 | Natural R10 |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 9          | CORNR 330×1200×32×32      | 9.5 | Natural R10 |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 10         | CORNL 330×1200×32×32      | 9.5 | Natural R10 |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 11         | SK 46×800                 | 9.5 | Natural R10 |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 12         | SK 70×600                 | 9.5 | Natural R10 |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |



LRV and PTV values may vary between batches; please contact us for guidance.  
Swatch colours may differ from final production—samples are recommended.  
[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)  
Find us on:

Material: **Porcelain** | Appearance: **Clay** | Application: **Walls and Floors**



# Hars One



Above  
Hars One PEAD42386 - Hars Two  
PEAF48706 PEAF48714

Right  
Hars One PEAD42392 PEAD42392T1 -  
Hars Two PEAF48717



Above  
Hars One PEAD42393T1

LRV and PTV values may vary between batches; please contact us for guidance.  
Swatch colours may differ from final production—samples are recommended.  
[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)  
Find us on:    



# Hars One

## Technical data sheet - ISO 10545 average values

|    |                     |                                                              |
|----|---------------------|--------------------------------------------------------------|
| 3  | Water absorption    | Conforms                                                     |
| 4  | Modulus of rupture  | $\geq 45 \text{ N/mm}^2$                                     |
| 4  | Breaking strength   | 9.5mm: $\geq 2000 \text{ N}$<br>20mm: $\geq 12000 \text{ N}$ |
| 12 | Frost resistance    | Resistant                                                    |
| 13 | Chemical resistance | A - LA - HA                                                  |
| 14 | Stain resistance    | Class 5                                                      |
|    | Slip resistance     | NAT R10<br>AS R11/C<br>THK R11/C                             |
|    | Recycled content    | 9.5mm THK- 12%<br>20mm THK- 20%                              |

## Sustainability information



## Cleaning and maintenance advice

### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

### Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.

LRV and PTV values may vary between batches; please contact us for guidance.

Swatch colours may differ from final production—samples are recommended.

[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    