



Material: **Glazed porcelain** | Appearance: **Kit-kat** | Application: **Walls**




Kakam 2.0


Kakam 2.0 is a refined glazed porcelain kit-kat mosaic tile, designed with a sleek linear profile that brings rhythm and texture to interior surfaces. Available in matt and gloss finishes with a versatile contemporary colour palette, it allows for both subtle sophistication and bold statement design. Perfect for walls in residential and commercial spaces, it combines durability with modern architectural elegance.



Matt (Unglazed)



TTBB51600 TTBB51601 TTBB51602 TTBB51603 TTBB51604 TTBB51605 TTBB51606 TTBB51607
LRV: 88



TTBB51608 TTBB51609 TTBB51610 TTBB51611 TTBB51612 TTBB51613 TTBB51614

Gloss (Glazed)



TTBB51615 TTBB51616 TTBB51617 TTBB51618 TTBB51619 TTBB51620 TTBB51621 TTBB51622
LRV: 18



TTBB51623 TTBB51624 TTBB51625 TTBB51626



Kakam 2.0 TTBB51619

LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk
Find us on:






Kakam 2.0



Kakam 2.0 TTBB51600 TTBB51601

Formats

	Sizes (mm)	> <	 PTV Wet Slider 96	 PTV Wet Slider 55
1	20×145 on 290×300	5.5	Matt ≥36PTV Gloss	Matt 25-35PTV Gloss
2	50×300 SK	7.5	Matt ≥36PTV	Matt 25-35PTV
3	45×300 TRIM	6	Matt ≥36PTV	Matt 25-35PTV



Material: **Glazed porcelain** | Appearance: **Kit-kat** | Application: **Walls**



Kakam 2.0



Above
Kakam 2.0 TTBB51612 TTBB51621

Right
Kakam 2.0 TTBB51618



Above
Kakam 2.0 TTBB51626

LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk
Find us on:    



Kakam 2.0

Technical data sheet - ISO 10545 average values

		Unglazed:	Glazed:
3	Water absorption	Conforms	Conforms
6	Resistance to deep abrasion	Conforms	Conforms
7	Abrasion resistance	-	2 to 3
8	Thermal expansion coefficient	≤9 MK-1	≤9 MK-1
9	Thermal shock resistance	Resistant	Resistant
11	Glaze crazing resistance	-	Resistant
12	Frost resistance	Resistant	Resistant
13	Resistance to low concentrations Resistance to high concentrations Resistance to domestic chemicals and additives for swimming pools	ULA to ULB UHA to UHB UA	GLA to GLB GHA to GHB GA
14	Stain resistance	Class 5	Class 5
	Pendulum test (Slider 96) Shod Wet Pendulum test (Slider 55) Barefoot Wet	≥36 PTV 25-35 PTV	-

Sustainability information

The production system and management choices adopted allow us to keep consumption of natural resources and pollution down to a minimum. The manufacturing of the atomized paste (base) and powdered enamels (colour), is done by dry pressing without the use of water, creating a more durable quality product and avoiding the production of wastewater discharge. The firing is done using a modern electric kiln, powered by green energy produced from renewable sources (wind turbines and solar power) by one of the group's companies, avoiding the use of fossil fuels and atmospheric emissions. All scrap and waste are collected separately and sent for recycling. Made within EU.



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.
Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRV and PTV values may vary between batches; please contact us for guidance.
Swatch colours may differ from final production—samples are recommended.
www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on: