

Material: **Glazed porcelain** | Appearance: **Timber** | Application: **Walls**

Rayas


Rayas is inspired by timber cladding, offering 5 wood effect tones in a 600x1200mm format. Timber cladding allows for intricate architectural detailing. Different installation patterns, such as horizontal or vertical arrangements can create visual interest and a unique design feature.



Shade variation: V2 moderate




RBCH53852



RBCH53853



RBCH53854



RBCH53855



RBCH53856



	Sizes (mm)	> <	Finishes
1	600x1200	8.5mm	NAT



LRV and PTV values can vary batch to batch, please contact for advice.
Switch colours may vary, samples should be requested.

5
Colours

1
Finish

1
Tile size



RBCH53852

Material: **Glazed porcelain** | Appearance: **Timber** | Application: **Walls**



Rayas



Above
RBCH53854

Right
RBCH53856



Above
RBCH53853

LRV and PTV values can vary batch to batch, please contact for advice.
Switch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Rayas

Technical data sheet - ISO 10545 average values

3	Water absorption	< 0,15%
13	Chemical resistance	A-HA-LA
12	Frost resistance	Resistant
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.