

Material: **Porcelain** | Appearance: **Uniform** | Application: **Walls**

Tividale


Tividale introduces a vibrant collection that infuses indoor spaces with a burst of colour, courtesy of its distinctive and shimmering glazes. Walls come to life with the array of colours, creating captivating combinations that elegantly enhance interior design with an undeniable sense of style.



Shade variation: V3 - High



PACC53600




PACC53601




PACC53602



PACC53603



PACC53604




PACC53605




PACC53606




PACC53607



PACC53608



PACC53609



	Sizes (mm)	> <	Finishes
1	60x240	8.5mm	Gloss
2	RHO 50x115 on 310x355 mesh	8.5mm	Gloss
3	CIR 22 on 295x325 mesh	8.5mm	Gloss
4	OVA 35x145 on 290x295 mesh	8.5mm	Gloss
5	STK 10x240 on 240x305 mesh	8.5mm	Gloss



LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.



Wall: PACC53605

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Porcelain** | Appearance: **Uniform** | Application: **Walls**



Tividale



Above
Wall: PACC53606

Right
Wall: PACC53603



Above
Wall: PACC53608

LRV and PTV values can vary batch to batch, please contact for advice.
Switch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Tividale

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Breaking strength	$S \geq 2000 \text{ N}$
4	Bending strength	Conforms
6	Deep abrasion	$\leq 140 \text{ mm}^3$
8	Coefficient of thermal linear expansion	$\leq 7 \text{ MK}^{-1}$
9	Thermal shock resistance	Resistant
12	Frost resistance	Resistant
13	Chemical resistance	Conforms
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.