

Material: **Porcelain** | Appearance: **Stone** | Application: **Walls and floors**



Skipper

Skipper presents an authentic realisation of natural stone with faithful shade variance, texture and movement within each tile. Skipper is available in five neutral colours with a natural or anti-slip surface finish (in some colours), making it suitable for a variety of internal and external applications.



Shade variation: V2 moderate



MNBA52200



MNBA52201
MNBA52201AS




MNBA52202



MNBA52203
MNBA52203AS



MNBA52204
MNBA52204AS



*AS R11 only available in MNBA52201, MNBA52203 & MNBA52204

	Sizes (mm)	> <	Finishes	
1	400x600	10mm	NAT (R10)	AS (R11)*
2	400x400	10mm	NAT (R10)	AS (R11)*
3	200x400	10mm	NAT (R10)	AS (R11)*
4	200x200	10mm	NAT (R10)	AS (R11)*
5	50x50 MOS on 300x300 MESH	10mm	NAT (R10)	AS (R11)*
6	400x600, 400x400, 200x400, 200x200 MIX	10mm	NAT (R10)	AS (R11)*
7	150x300x40 ST	10mm	-	AS (R11)*
8	50x600 SK	10mm	NAT (R10)	-



LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Porcelain** | Appearance: **Stone** | Application: **Walls and floors**



Skipper



Above
Skipper MNBA52200

Right
Skipper MNBA52203



Above
Skipper MNBA52201

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Skipper

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	Conforms
4	Modulus of rupture Breaking strength	Conforms Conforms
12	Frost resistance	Conforms
13	Chemical resistance	Conforms
14	Stain resistance	Conforms
	Slip resistance	NAT R10 AS R11

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.