

Material: **Glazed Porcelain** | Appearance: **Uniform** | Application: **Walls**

Architect

Architect offers a comprehensive and diverse selection of colours, catering to a multitude of design preferences and accommodating a seamless integration into various spaces. This extensive range of hues is not only intended for enhancing indoor environments but also for elevating the aesthetics of exterior surfaces. **See scored tiles on page 3 and anti-slip on page 4.**



Shade variation: V1 - Uniform



LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

40
Colours

1
Finishes

3
Tile sizes



www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:




Architect




Wall: CIA34930 CIA34932

Formats

	Sizes (mm)	> <	Finish
1	300x300	6mm	MATT
2	100x300	6mm	MATT
3	200x200	6mm	MATT
4	100x200 / 150x150 COVE	6mm	MATT
5	100x200 BULLNOSE	6mm	MATT
6	30x100 / 30x150 EX CORNER	6mm	MATT
7	30x100 / 30x150 IN CORNER	6mm	MATT



Material: **Glazed Porcelain** | Appearance: **Uniform** | Application: **Walls**



Architect - Scored Tiles


Architect offers a comprehensive and diverse selection of colours, catering to a multitude of design preferences and accommodating a seamless integration into various spaces. This extensive range of hues is not only intended for enhancing indoor environments but also for elevating the aesthetics of exterior surfaces. These tiles are 200x200mm and scored to appear like small tiles.



Shade variation: V1 - Uniform



	Sizes (mm)	> <	Finish
1	200x200 tile with 100x100 score lines	6mm	MATT
2	200x200 tile with 50x50 score lines	6mm	MATT
3	200x200 tile with 25x25 score lines	6mm	MATT



LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Glazed Porcelain** | Appearance: **Uniform** | Application: **Walls and floors**

Architect Anti-slip

Architect offers a comprehensive and diverse selection of colours, catering to a multitude of design preferences and accommodating a seamless integration into various spaces. This extensive range of hues is not only intended for enhancing indoor environments but also for elevating the aesthetics of exterior surfaces.



Shade variation: V1 - Uniform



CICG53342 CICG53343 CICG53344 CICG53345 CICG53346 CICG53347 CICG53348



CICG53349 CICG53350 CICG53351

1



	Sizes (mm)	> <	Finish
1	200x200	6mm	AS (R10/B)



LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.



www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Architect

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	1,0-1,5%
4	Bending strength	1400N
4	Modulus of rupture	50N/mm2
5	Impact resistance	50
6	Resistance to deep abrasion	Conforms
8	Linear thermal expansion	6,9 - 7,0 x 10-6 K-1
9	Thermal shock resistance	Conforms
11	Tensile strength	Conforms
12	Frost resistance	Conforms
13	Chemical resistance	GLA
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Deterdek Pro

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Special maintenance

Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.

Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.