Material: **Porcelain** | Appearance: **Solid Colour** | Application: **Walls and Floors**

38 Colours | 1 Finish | 6 Tile sizes

Vega

Vega offers a wide array of colours ideal for wall and floor applications.

ISO 14001 | 61% recycled | EPD VERIFIED ISO 14025

Shade variation: V1 uniform

Matt R10 ≥36 PTV

BMDB54310 BMDB54311 BMDB54312 BMDB54313 BMDB54314 BMDB54315 BMDB54316 BMDB54317

BMDB54318 BMDB54319 BMDB54320 BMDB54350 BMDB54351 BMDB54321 BMDB54322 BMDB54323

BMDB54324 BMDB54325 BMDB54326 BMDB54327 BMDB54328 BMDB54329 BMDB54330 BMDB54331

BMDB54332 BMDB54333 BMDB54352 BMDB54353 BMDB54339 BMDB54354 BMDB54355 BMDB54334

BMDB54335 BMDB54336 BMDB54337 BMDB54340 BMDB54341 BMDB54338



Vega BMDB54311 BMDB54325

Grestec

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.


www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk
Find us on:

Vega



Formats

	Sizes (mm)	Thickness	PTV Wet Slider 96	Colour Availability
1	300x300	8mm	Matt ≥36 PTV	All except BMDB54350-55
2	60x250	8mm	Matt ≥36 PTV	All colours
3	200x200	8mm	Matt ≥36 PTV	All colours
4	100x200	8mm	Matt ≥36 PTV	All except BMDB54350-55
5	100x200 precut 100x100	8mm	Matt ≥36 PTV	All except BMDB54350-55
6	150x173 hex	8mm	Matt ≥36 PTV	All colours



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.

Vega



Above
Vega BMDB54310 BMDB54328

Right
Vega BMDB54328 BMDB54332





Above
Vega BMDB54312 BMDB54316

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.

Vega

Technical data sheet - ISO 10545 average values

3	Water absorption	**Conforms**
4	Breaking strength	**> 1300 N**
	Slip resistance	**Matt R10** **≥36 PTV**

Sustainability information

ISO 14001 ENVIRONMENTAL MANAGEMENT

61% recycled

EPD VERIFIED ISO 14025

Cleaning and maintenance advice

Initial washing
The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.
Product: Deterdek Pro

Routine maintenance
The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.
Product: Cleaner Pro

Special maintenance
Special maintenance is carried out in case of very stubborn dirt, when the routine maintenance is not enough to restore the original look of the surface.
Product: PS/87 Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.