

Material: **Ceramic** | Appearance: **Solid colour / 3D** | Application: **Walls**

Soulfire

Soulfire is a versatile ceramic coating that adds a decorative touch to any space. In a 75x150mm format, it features smooth surfaces and gentle three-dimensional patterns, in the form of simple embossed lines. Soulfire offers four colours and two finishes—matt and gloss—enabling creative combinations. This duality adds depth to architectural spaces, creating dynamic effects through the interplay of shadows and reflections that bring walls to life.



Shade variation: V1 uniform



ICDB47979 **M**
ICDB47983 **G**
LRV: 75



ICDB47979T1 **M**
ICDB47983T1 **G**



ICDB47980 **M**
ICDB47984 **G**
LRV: 52




ICDB47980T1 **M**
ICDB47984T1 **G**



ICDB47981 **M**
ICDB47985 **G**
LRV: 27



ICDB47981T1 **M**
ICDB47985T1 **G**



ICDB47982 **M**
ICDB47986 **G**
LRV: 70



ICDB47982T1 **M**
ICDB47986T1 **G**



	Sizes (mm)	> <	Finishes	
1	75x150	9mm	Matt M	Gloss G
2	75x150 T1*	9mm	Matt M	Gloss G
3	12x200 JOLLY	9mm	Matt M	Gloss G



* Each box contains a random assortment of the designs available. The same design may be repeated and certain designs may not be included in the box.

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.



Soulfire ICDB47982T1

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Ceramic** | Appearance: **Solid colour / 3D** | Application: **Walls**



Soulfire



Above
Soulfire ICDB47980 ICDB47984

Right
Soulfire ICDB47981 ICDB47985



Above
Soulfire ICDB47982T1

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    

Material: **Ceramic** | Appearance: **Solid colour / 3D** | Application: **Walls**



Soulfire



Above
Soulfire ICDB47979 ICDB47979T1
ICDB47983

Right
Soulfire ICDB47984 ICDB47984T1



Above
Soulfire ICDB47985 ICDB47985T1

LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Soulfire

Technical data sheet - ISO 10545 average values

3	Water absorption	Conforms
4	Breaking modulus	Conforms
4	Modulus of rupture	Conforms
7	Resistance to abrasion	>GLB
8	Linear thermal expansion	7,00 ° MK (-1)
9	Thermal shock resistance	Resistant
11	Crazing resistance	Resistant
13	Chemical resistance	Conforms
14	Stain resistance	Class 4-5

*Important information T1 decors

Each box contains a random assortment of the designs available. The same design may be repeated and certain designs may not be included in the box.

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.