

Material: **Ceramic** | Appearance: **Handcrafted style** | Application: **Walls**

11
Colours

2
Finishes

2
Tile sizes

Twin


Twin ceramic wall tiles showcase a captivating undulating surface, inspired by a handcrafted aesthetic that adds depth and character to any interior. Available in 11 exquisite colours, each tile exudes unique artisanal charm. Designed in a practical 100x100 or 25x100mm layout on a 200x200mm prescored format, these tiles offer both style and versatility, making them ideal for creating elegant, timeless spaces.



Shade variation: V1-V2



Gloss



SCDG47192 SCDG47193 SCDG47194 SCDG47195 SCDG47196 SCDG47197 SCDG47198




SCDG47199 SCDG47202

Matt



SCDG47200 SCDG47201

	Sizes (mm)	> <	Finishes	
1	25x100 PRESCORED on 200x200	7.8mm	Gloss	Matt
2	100x100 PRESCORED on 200x200	7.8mm	Gloss	Matt



Twin SCDG47199 SCDG47202



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Ceramic** | Appearance: **Handcrafted style** | Application: **Walls**



Twin



Above
Twin SCDG47192

Right
Twin SCDG47194 SCDG47195



Above
Twin SCDG47196

LRV and PTV values can vary batch to batch, please contact for advice, PTV values refer to Slider 96 (shod) – Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:   



Twin

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	15%
4	Flexion resistance	>23 N/mm ²
8	Linear thermal expansion	< 7·10 ⁻⁶ /°C
9	Thermal impact resistance	Conforms
10	Expansion due to moisture	<0.6%
11	Crazing resistance	Conforms
12	Frost resistance	Conforms
13	Chemical resistance	GLA - GHA - GA
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.