

Material: **Glazed porcelain** | Appearance: **Terracotta** | Application: **Walls**



# Caravan Serai

Caravan Serai blends the warmth of traditional terracotta with the durability of porcelain in a versatile 330×330mm format, perfect for both indoor and outdoor use. It comes in three shades, each with a naturally textured base, and includes two decorative geometric designs. Additionally, the series features a 310×560mm décor that celebrates intricate Moroccan ornamental tradition.



Shade variation: V2 moderate



## 330x330mm




RDDE51743



RDDE51743T1




RDDE51743T2




RDDE51744



RDDE51744T1




RDDE51744T2



RDDE51745



RDDE51745T1




RDDE51745T2

## 310x560mm Decor




RDDE51735




RDDE51736




RDDE51737




RDDE51738



RDDE51739



RDDE51740



RDDE51741



RDDE51742



Caravan Serai RDDE51744T2 RDDE51744



LRV and PTV values can vary batch to batch, please contact for advice.  
Swatch colours may vary, samples should be requested.

[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:




# Caravan Serai



Caravan Serai RDDE51737 RDDE51742

Formats

| Sizes (mm) |            | >  < | Finishes             |                     |
|------------|------------|------|----------------------|---------------------|
| 1          | 330x330    | 9mm  | NAT ≥ 25PTV ≤ 35 PTV | -                   |
| 2          | 330x330 T1 | 9mm  | NAT ≥ 25PTV ≤ 35 PTV | -                   |
| 3          | 330x330 T2 | 11mm | NAT                  | -                   |
| 4          | 310x560    | 10mm | -                    | Matt/Gloss contrast |





Material: **Glazed porcelain** | Appearance: **Terracotta** | Application: **Walls**



# Caravan Serai



Above  
Caravan Serai RDDE51743 RDDE51743T2

Right  
Caravan Serai RDDE51745 RDDE51745T1



Above  
Caravan Serai RDDE51743 RDDE51743T1

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.

[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



Material: **Glazed porcelain** | Appearance: **Terracotta** | Application: **Walls**



# Caravan Serai



Above  
Caravan Serai RDDE51736

Right  
Caravan Serai RDDE51744 RDDE51744T1



Above  
Caravan Serai RDDE51745T1

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod – Wet (unless stated). Swatch colours may vary, samples should be requested.

[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



# Caravan Serai

## Technical data sheet - ISO 10545 average values

|    |                                                                                                                |                                                                                                                                  |
|----|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 2  | Sizes                                                                                                          | Conforms                                                                                                                         |
| 3  | Water absorption                                                                                               | E<0.5%                                                                                                                           |
| 4  | Breaking strength                                                                                              | >1300                                                                                                                            |
| 4  | Bending strength                                                                                               | >35                                                                                                                              |
| 9  | Thermal shock resistance                                                                                       | Resistant                                                                                                                        |
| 11 | Cracking resistance                                                                                            | Resistant                                                                                                                        |
| 12 | Frost resistance                                                                                               | Resistant                                                                                                                        |
| 13 | Chemical resistance<br>Domestic cleaning products<br>Swimming Pool Salt<br>Acids and bases (low concentration) | GA<br>GA<br>GLA/GHA                                                                                                              |
| 14 | Stain resistance                                                                                               | Class 5                                                                                                                          |
|    | Pendulum test - Slider 96 (Shod) Wet                                                                           | RDDE51743 -RDDE51745: $\geq 25\text{PTV} \leq 35\text{ PTV}$<br>RDDE51743T1 -RDDE51745T1: $\geq 25\text{PTV} \leq 35\text{ PTV}$ |

## Sustainability information



## Cleaning and maintenance advice

### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.