

Material: **Glazed porcelain** | Appearance: **Monocolour** | Application: **Walls**

Toni


The Toni series features four vibrant shades of glazed porcelain tiles, available in a prescored 150x450mm format. This design allows for the use of contrasting grout colors, enabling unique and personalised designs. Toni tiles are versatile and suitable for both internal and external wall applications.




Shade variation: V1 uniform



RDDD51731



RDDD51732



RDDD51733



RDDD51734


1



	Sizes (mm)	> <	Finishes
1	150x450	10mm	Gloss



LRV and PTV values can vary batch to batch, please contact for advice.
Swatch colours may vary, samples should be requested.



Toni RDDD51731

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:



Toni



Above
Toni RDDD51734

Right
Toni RDDD51733



Above
Toni RDDD51732



Toni

Technical data sheet - ISO 10545 average values

2	Sizes	Conforms
3	Water absorption	E<0.5%
4	Breaking strength	>1300
4	Bending strength	>35
9	Thermal shock resistance	Resistant
11	Cracking resistance	Resistant
12	Frost resistance	Resistant
13	Chemical resistance Domestic cleaning products Swimming Pool Salt Acids and bases (low concentration)	GA GA GLA/GHA
14	Stain resistance	Class 5

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.